

## *Chapter 10*

### **REFERENCES**

- Amadei B. (1988):  
Strength of a regularly jointed rock mass under biaxial and axisymmetric loading conditions.  
Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 25, No. 1, pp. 3 - 13.
- Amberg W. and Christini F. (1986):  
The new Austrian tunnelling method in railway tunnel construction.  
Rasegna dei lavori pubblici, No 5, pp. 241/1 - 252/1.
- American Geological Institute (1962):  
Dictionary of geological terms.  
Dolphin Reference Books, 545 pp.
- Aydan Ö., Akagi T. and Kawamoto T. (1993):  
The squeezing potential of rocks around tunnels; teory and prediction.  
Rock Mech. Rock Engn., No. 26, pp 137 - 163.
- Baecher G.B., Lanney N.A. and Einstein H.H. (1977):  
Rock joint properties and sampling.  
Proc. 19th U.S. Symp. on Rock Mechanics, Keystone.
- Baecher G.S. and Lanney N.A. (1978):  
Trace length biases in joint surveys.  
19th US Symp. on Rock Mechanics, Stateline, Nevada, pp. 56-65.
- Barton N. (1973):  
A review of the shear strength of filled discontinuities.  
Proc. Conf. on Fjellsprengningsteknikk/Bergmekanikk, Tapir, Trondheim, 38 pp.  
(also in Norwegian Geotechnical Institute, Publ. No. 105)
- Barton, N., Lien, R. and Lunde, J. (1974):  
Engineering classification of rock masses for the design of rock support.  
Rock Mechanics 6, 1974, pp. 189-236.
- Barton N., Lien R. and Lunde J. (1975):  
Estimation of support requirements for underground excavations.  
Proc. Sixteenth Symp. on Rock Mechanics, Minneapolis, pp. 163-177.
- Barton N. (1976):

The shear strength of rock and rock joints.

Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 13, No. 9, pp. 255-279.

Barton N. and Choubey V. (1977):

The shear strength of rock joints in theory and practice.

Rock Mechanics, No. 1/2, pp. 1-54, (also in Norwegian Geotechnical Institute, Publ. No. 119)

Barton, N., Lien, R. and Lunde, J. (1980):

Application of Q-system in design decisions concerning dimensions and appropriate support for underground installations.

Proc. Int. Conf. Subsurface Space, Pergamon Press, pp. 553-561.

Barton N. and Bandis S. (1980):

Some effects of Scale on the shear strength of joints. Technical note.

Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol 17, pp. 69-73.

Barton N. (1987):

Predicting the behaviour of underground openings in rock.

4th Manual Rocha Memorial Lecture, Lisbon (in Norwegian Geotechnical Institute, Publ. No. 172) 21 pp.

Barton N. (1990a):

Cavern design for Hong Kong rocks.

Norwegian Geotechnical Institute, Publ.no. 180, pp. 1-24.

Barton N. (1990b):

Scale effects or sampling bias?

Proc. Int. Workshop Scale Effects in Rock Masses, Balkema Publ., Rotterdam, pp. 31-55.

Barton N. and Bandis S. (1990):

Review of predictive capabilities of JRC-JCS model in engineering practise.

Proc. Int. Conf. Rock Joints, Balkema Publ., Rotterdam, pp 603-610.

Barton N. (1993):

Physical and discrete element models of excavation and failure in jointed rock.

Keynote lecture presented at ISRM Int. Symp. on Assessment and Prevention of failure Phenomena in Rock Engineering, Istanbul, Turkey.

Barton N. (1991 - 1994):

Private communication.

Bates R.L., Jackson J.A. (1980):

Glossary of geology.

American Geological Institute, Fall Church, Virginia, second edition 1980.

Bergh-Christensen J. (1968):

On the blastability of rocks. (in Norwegian)

Lic.Techn. Thesis, Geological Inst., Techn. Univ. Norway, Trondheim.

Bergh-Christensen J. and Selmer-Olsen R. (1970):  
On the resistance to blasting in tunnelling.  
Proc. 2nd ISRM Congr., Belgrade, Vol. 3, paper 5-7.

Bergman M. (1975):  
Borehole investigations in rock; evaluation of the reliability of methods (in Swedish).  
National Swedish Building Research, report no R17:1975, 69 pp.

Bergman S.G.A. (1956):  
Functional rock classification. (in Swedish).  
IVA Publ. 142, Stockholm.

Bhawani Singh, Jethwa J.L., Dube A.K. and Singh B. (1992):  
Correlation between observed support pressure and rock mass quality.  
Tunnelling and Underground Space Technology, Vol. 7, No. 1, pp. 59-74.

Bieniawski, Z.T. (1973):  
Engineering classification of jointed rock masses.  
Trans. S. African Instn. Civ. Engrs., Vol 15, No 12, Dec. 1973, pp 335 - 344.

Bieniawski, Z.T. (1974):  
Geomechanics classification of rock masses and its application in tunneling.  
Proc. Third Int. Congress on Rock Mechanics, ISRM, Denver 1974, pp.27-32.

Bieniawski Z.T. (1984):  
Rock mechanics design in mining and tunneling.  
A.A. Balkema, Rotterdam, 272 pp.

Bieniawski, Z.T. (1988):  
Rock mass classification as a design aid in tunnelling.  
Tunnels & Tunnelling, July 1988

Bieniawski Z.T. (1989):  
Engineering rock mass classifications.  
John Wiley & Sons, New York, 251 pp.

Bieniawski Z.T., Bauer S.J. and Costin L.S. (1993):  
Geotechnical design methodology workshop.  
News Journal of International Society for Rock Mechanics, Vol. 1, No. 4, pp. 42-45.

Bjerrum L.B. (1965):  
Discussion of paper: Functional rock classification by S.G.A. Bergman.  
IVA report 142, pp. 124-125.

Blindheim O.T., Boniface A. and Richards L.A. (1991):  
Boreability assessments for the Lesotho Highlands water project.  
Tunnels & Tunnelling, June 1991, pp. 55-58.

Braun W.M. (1980):  
Application of the NATM in deep tunnels and difficult formations.

Tunnels and Tunnellin, March 1980, pp. 17-20.

Brekke T.L. (1965):

On the measurement of the relative potential swellability of hydrothermal montmorillonite clay from joints and faults in Pre-Cambrian and Paleozoic rocks in Norway.

Int. J. Rock Mech. Mining Sci., Vol 2, pp 155-165.

Brekke T.L. and Selmer-Olsen R. (1965):

Stability problems in underground construction caused by montmorillonite carrying joints and faults.

J. of Engineering Geology, Vol. 1, No. 1, pp 3-19.

Brekke T.L. and Howard T.R. (1972):

Stability problems caused by seams and faults.

Rapid Tunneling & Excavation Conference, 1972, pp. 25-41.

Bridges M.C. (1976):

Presentation of fracture data for rock mechanics.

Proc. 2nd Australia-New Zealand Conf. on Geomechanics, Brisbane

British Standard Institution (1981):

Code of practice for site investigations.

BS 5930: 1981, 147 pp.

Broch E. and Franklin J.A. (1972):

The point-load strength test.

Int. J. Rock Mech. Min. Sci., Vol. 9, pp. 669-697.

Broch E. and Leivestad S.I. (1973):

On the influence of moisture and anisotropy upon shear strength of rocks. (in Norwegian)

Publ. no.9, Geol. Inst., The Technical University of Norway, 30 pp.

Broch E. (1977):

The point-load test and its use in engineering geology. (in Norwegian)

Rep. no. 2, Geological Inst., Techn. Univ. Norway, Trondheim, 148 pp.

Broch E. (1979):

Changes in rock strength caused by water.

Proc. 4th ISRM Congr., Montreux, Vol. 1; Balkema, Rotterdam. pp. 71-75.

Broch E. (1983):

Estimation of strength anisotropy using the point-load test.

Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 20, No. 4, pp. 181 - 187.

Broch E. (1988):

Site investigations.

Norwegian Tunnelling Today, Tapir publ. Trondheim, Norway, pp. 49 - 52.

Brook N. (1985):

The equivalent core diameter method of size and shape correction in point load testing.  
Int. J. Rock Mech. Sci. & Geomech. Abstr., Vol. 22, No. 2, pp. 61 - 70.

Brosch F.J. (1986):

Geology and the classification of rock masses - examples from Austrian tunnels.  
Bull. IAEG no 33, 1986, pp 31 - 37.

Brown and Hoek (1978):

Trends in relationships between measured in situ stresses and depth.  
Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 15, pp 211-215.

Brown E.T. (1981):

Putting the NATM into perspective.  
Tunnels and Tunnelling, Nov. 1981, pp. 13-17.

Brown E.T., Bray J.W., Ladanyi B. and Hoek E. (1983):

Ground response curves for rock tunnels.  
J. Geot. Engn., Vol. 109, No. 1, pp. 15 - 39.

Brown E.T. (1985):

From theory to practice in rock engineering.  
Trans. Instn. Min. Metall. (Sect. A: Min.industry), 94, 1985, pp A67-83.

Brown E.T. (1986):

Research and development for design and construction of large rock caverns.  
Proc. Int. Symp. on Large Rock Caverns. Helsinki, Finland, pp. 1937-1948.

Brown E.T. and Hoek E. (1988):

Determination of shear failure envelope in rock masses.  
J. Geot. Engn., Vol 114, No. 3, pp. 371 - 373.

Brown E.T. and Hoek E. (1988):

Discussion on "Determination of shear failure envelope in rock masses. by Ucar R."  
J. Geot. Engn., Vol. 114, No. 3, pp. 371 - 373.

Burton A.N. (1965):

Classification of rocks for rock mechanics.  
Letter to the editor, Int. J. Rock Mech. Mining Sci., Vol. 2, p. 105.

Burwell E.F.jr. and Roberts G.D. (1950):

The geologist in the engineering organization.  
Chapter 1 in Application of Geology to Engineering Practice (Berkey Volume): Geological Society of America, 327 pp.

Call R.D., Savely J.P. and Nicholas D.E. (1976):

Estimation of joint set characteristics from surface mapping data.  
Monograph on Rock Mechanics Applications in Mining. SME-AIME, pp 65-73.

Cameron-Clarke I.S. and Budavari S. (1981):

Correlation of rock mass classification parameters obtained from borecore and in-situ observations.  
J. Engn. Geol., Vol 17, pp. 19-53.

Carmichael T.J. and Lee C.F. (1977):

Rock mass characterization for location and design of an underground oil storage facility.  
18th US Symp. on Rock Mechanics, Keystone, Colorado, 1977, pp. 5A4-1 - 5A4-8.

Carmichael R.S., Ed. (1989):

Handbook of physical properties of rocks and minerals.  
CRC Press, Florida

Castellani V. and Dragoni W. (1991):

Italian tunnels in antiquity.  
Tunnels & Tunnelling, March 1991, pp. 55-57.

Castelli E. (1992)

Geomechanics characterization methodologies: a matrix approach.  
Periodico della Societa Italiana Gallerie 38, pp.13-25.

Cecil O.S. (1970):

Correlations of rock bolt - shotcrete support and rock quality parameters in Scandinavian tunnels.  
Ph.d. thesis Univ. of Illinois 1970; also in Proc. Swedish Geotech. Institute, No 27, 1975, 275 pp.

Cecil O.S. (1971):

Correlation of seismic refraction velocities and rock support requirements in Swedish tunnels.  
Reprints and preliminary reports, No. 40, Swedish Geotechnical Institute, Stockholm.

Chappell B.A. (1987):

Predicted and measured rock mass moduli.  
J. of Mining Sci. and Tech., 6 (1), pp 89-104.

Chappell B.A. (1990):

Rock mass characterization for dam foundations.  
J. Geotechn. Engn., Vol 116, No. 4, pp 625 - 646.

Chen J.F. and Vogler U.W. (1992):

Rock cuttability/boreability assessment research at the CSIR  
TUNCON '92, Design and Construction of Tunnels, Maseru, Lesotho, pp. 91-97

Clerici A. (1993):

Indirect determination of the modulus of deformation of rock masses - Case histories.  
Proc. Int. Conf. Eurock'93, pp. 509 - 517.

Coates D.F. (1964):

Classification of rocks for rock mechanics.  
Rock Mech. and Mining Sci., Vol 1, pp. 421-429.

Colback P.S. and Wiid B.L. (1965):

The influence of moisture content on the compressive strength of rock.  
Proc. Symp. on Rock Mechanics, Toronto, pp. 65-83.

- Coon R.F. and Merritt A.H. (1970):  
Predicting the modulus of deformation using rock quality indexes.  
ASTM Special Publication 477, ASTM, Philadelphia, pp. 154 - 173.
- Cording E.J. and Deere D.U. (1972):  
Rock tunnel supports and field measurements.  
Proc. Rapid Excavation and Tunnelling Conf. 1972, pp. 601-622.
- Cording E.J., Hendron A.J. and Deere D.U. (1972):  
Rock engineering for underground caverns.  
Proc. Symp. Underground Rock Chambers, ASCE, pp. 567-600.
- Cording E.J. and Mahar J.M. (1974):  
The effect of natural geologic discontinuities on behavior of rock in tunnels.  
Proc. Rapid Exc. & Tunn. Conf., AIME., pp. 107-138.
- Cottiss G.I., Dowel R.W. and Franklin J.A. (1971):  
A rock classification system applied in civil engineering, part 1.  
Civil Engn. and Public Works Review, June 1971, pp. 611-614.
- Cottiss G.I., Dowel R.W. and Franklin J.A. (1971):  
A rock classification system applied in civil engineering, part 2.  
Civil Engn. and Public Works Review, July 1971, pp. 736-743.
- Cowie P.A. and Scholz C.H. (1992):  
Displacement-length scaling relationship for faults; data synthesis and discussion.  
J. of Struct. Geol., Vol. 14, No. 10, pp. 1149 - 1156.
- Cruden D.M. (1977):  
Describing the size of discontinuities.  
Int. J. Rock Mech. and Min. Sci, No 14, pp. 133-137
- Darling P. (1991):  
Tunnelling through trouble in the Rockies.  
Tunnels & Tunnelling, March 1991, pp. 36-38.
- Dearman W.R. and Fookes P.G. (1974):  
Engineering geological mapping for civil engineering practice.  
Quart. J. Engn. Geol., Vol 7, pp. 223-256.
- Dearman W.R. (1991):  
Engineering geological mapping.  
Butterworth - Heinemann Ltd., Oxford.
- Deere D.U. (1963):  
Technical description of rock cores for engineering purposes.  
Felsmechanik un Ingenieurgeologie, Vol. 1, No 1, pp. 16-22.
- Deere D. and Miller R.D. (1966):

Engineering classification and index properties for intact rock.  
Univ. of Illinois, Tech. Rept. No. AFWL-TR-65-116, 1966.

Deere D.U., Peck R.B., Monsees J.E. and Schmidt B. (1969):  
Design of tunnel liners and support system.  
Office of high speed ground transportation, U.S. Department of transportation. PB 183799.

Deere D.U. (1971):  
The foliation shear zone - an adverse engineering geologic feature of metamorphic rocks.  
Boston Soc. Civ. Engr., Vol 60, No. 4, pp. 163-176.

Deere D.U., Merritt A.H. and Cording E.J. (1974):  
Engineering geology and underground construction.  
General report, 2nd Intn. Congr. of Int. Assoc. of Engr. Geol., Sao Paulo, Brazil, 1974, pp VII-GR. 1-26.

Denkhaus H.G. (1965):  
Strength of rock material and rock systems.  
Int. J. Rock Mech. Mining Sci., Vol 2, pp 111-126. 1965

Dershowitz W.S., Einstein H.H. (1988):  
Characterizing rock joint geometry with joint system models.  
Rock Mech. and Rock Engr., Vol 21, 1988, pp 21 - 51.

Dowding C.H. and Miller J.B. (1975):  
Comparison of predicted and encountered geology for seven Colorado tunnels.  
Report prepared for NSF, MIT Department of Civil Engineering, R 75-6, 1975.

Dowding C.H. (1978):  
Future challenges in site characterization.  
Site Characterization and Exploration, NSF Site Characterization Workshop, ASCE.

Duddeck H. (ed.) (1988):  
Guidelines for the design of tunnels.  
ITA Working Group on General Approaches to the Design of Tunnels.  
Tunneling and Underground Space Technology 3, pp 237-249.

Einstein H., Steiner W. and Baecher G.B. (1979):  
Assessment of empirical design methods for tunnels in rock.  
RETIC 1979, pp. 683-705.

Einstein H.H. and Baecher G.S. (1982):  
Probabilistic and statistical methods in engineering geology. I. Problem statement and introduction to solution.  
Rock Mechanics, Supp. 12, pp. 47-61.

Einstein H.H. and Baecher G.B. (1983):  
Probabilistic and statistical methods in engineering geology.  
Rock Mechanics, Vol. , pp 3972.

Einstein H.H. (1991):



Observation, quantification and judgement: Terzaghi and engineering geology.  
J. Geotech. Engn., Vol. 117, No. 11, pp. 1772-1778.

Einstein H.H. (1993):  
Swelling rock.  
ISRM News, No. 2, pp. 57-60.

Eriksson C. and Krauland N. (1975):  
Rock mechanical views regarding the slide in the hanging wall in the Långsele mine.  
Internal note Boliden, Sweden, 15 pp.

Eshwaraiah H.V. and Upadhyaya V.S (1990):  
Influence of rock joints in performance of major civil engineering structures.  
Proc. of Mechanics of Jointed and Faulted Rock. Balkema publ. pp. 951-968.

Ewan V.J., West G., Temporal J. (1983):  
Variation in measuring rock joints for tunnelling.  
Tunnels & Tunnelling, April 1983, pp 15 -18.

Fairhurst C. (1988):  
Foreword.  
Int. J. Rock Mech. Min. Sci & Geomech. Abstr., Vol. 25, No. 3. pp v - viii, 1988.

Faria Santos C. and Bieniawski Z.T. (1989):  
Floor design in underground coal mines.  
Rock Mechanics and Rock Engineering 22, 1989, 249-271.

Farmer I.W. (1977):  
Rock engineering - applications in tunnelling.  
Tunnels & Tunnelling, July 1977, pp. 84-88.

Farmer I.W. and Kemeny J.M. (1992):  
Deficiencies in rock test data.  
Proc. Int. Conf. Eurock '92, Thomas Telford, London, pp. 298-303.

Fisher P. and Banks D. (1978):  
Influence of the regional geologic setting on site geologic features.  
Proc. Site Charact. and Expl. ASCE, New York, pp. 163-185.

Franklin J.A. (1970):  
Observations and tests for engineering description and mapping of rocks.  
Proc. 4th Congress ISRM, Beograd 1970, 6 pp.

Franklin J.A., Broch E. and Walton G. (1971):  
Logging the mechanical character of rock.  
Tran. Inst. Min. Metall. A80, A1-A9.

Franklin J.A. (1975):  
Safety and economy of tunneling.  
Proc. Tenth Canadian Rock Mech. Symp., Kingstone, pp. 27-53.

- Gardener R. (1992):  
Seismic refraction as a tool in the evaluation of rock quality for dredging and engineering purposes: case studies.  
Proc. Intn. Symp. Eurock'92, Thomas Telford, London, pp. 153 - 158.
- Geological Society Engineering Group Working Party (1971):  
Report on the logging of rock cores for engineering purposes.  
Q. J. Engr. Geol., 3, pp. 1-24.
- Ghosh D.K. and Srivastava M. (1991):  
Point-load strength: An index for classification of rock material.  
Bull. Int. Ass. Engr. Geol., No. 44, pp. 27 - 33.
- Gillespie P.A., Walsh J.J. and Watterson J. (1992):  
Limitations of dimension and displacement data from single faults and the consequences for data analysis and interpretation.  
J. of Struct. Geol., Vol. 14, No. 10, pp. 1157 - 1172.
- Golser J. (1979):  
Another view of the NATM.  
Tunnels and Tunnelling, March 1979, pp. 41.
- Goodman R.E. (1970):  
The deformability of joints.  
Determination of the in-situ modulus of deformation of rock; Amer. Soc. Test & Mats., STP 477, pp. 174-196.
- Goodman R.E. and Shi G.H. (1985):  
Block theory and its application to rock engineering.  
Prentice-Hall, Englewood Cliffs, NJ
- Goodman R.E. (1989):  
Introduction to rock mechanics.  
John Wiley & Sons, New York, 561 pp.
- Graham P.C. (1976):  
Rock exploration for machine manufacturers.  
Proc. Symp. on Exploration for Rock Engineering, Johannesburg, pp. 173 -180.
- Greminger M. (1982):  
Experimental studies of the influence of rock anisotropy on size and shape effects in point-load testing.  
Int. J. Rock Mech. Min. Sci. & Geomech. Abstr. 19, pp. 241-246.
- Grimstad E. (1993):  
Private communication.
- Grimstad E. and Barton N. (1993):  
Updating the Q-system for NMT.  
Proc. Int. Symp. on Sprayed Concrete, Fagernes, Norway 1993, Norwegian Concrete Association, Oslo, 20 pp.

Grujic N. (1974):

Ultrasonic testing of foundation rock.  
Proc. 4th ISRM Intn. Congr., Denver

Guralnik D.B. (1980):

Webster's new world dictionary.  
Second college edition, Simon and Schuster, New York, 1690 pp.

Gu D. and Wang S. (1981):

On the engineering geomechanics of rock mass structure.  
Bull. IAEG, No. 23, pp. 109-111.

Haak A. (1987):

Where are the limits if the new Austrian tunnelling method?  
Extracts from a discussion involving representatives from the National committees of Austria, Switzerland and the Federal Republic of Germany. Tunnel 3/87, pp. 126-128.

Habenicht H. (1979):

Description of joint systems taken from drill cores. (in German)  
Rock Mechanics, No. 11, pp. 217-242.

Hack H.R.G.K. and Price D.G. (1993):

A rock mass classification system for the design and safety analysis of slopes.  
Proc. Int. Conf. Eurock '93, Balkema, Rotterdam, pp.803-810.

Hagenhofer F. (1990):

NATM for tunnels with high overburden.  
Tunnels and Tunnelling, May 1990, 2 pp.

Hagerman T.H. (1966):

Different types of rock masses from rock mechanics point of view.  
Rock Mechanics and Engineering Geology, Vol IV, No. 3, 1966, pp. 183-198.

Haimson B.C. (1978):

The hydrofracturing stress measuring method and recent field results.  
Int. J. Rock Mech. Mi. Sci. & Geomech. Abstr., Vol. 15, pp. 167 - 178.

Haimson B.C. (1993):

Scale effects in rock stress measurements.  
Proc. Int. Conf. on Scale Effects in Rock Masses, pp. 89 - 101.

Hansagi I. (1965):

Numerical determination of mechanical properties of rock and of rock masses.  
Int. J. Rock Mech. Mining Sci., Vol 2, pp. 219-223

Hansagi I. (1965b):

The strength properties of rocks in Kiruna and their measurements (in Swedish).  
Ingeniörsvetenskapsakademiens meddelande, IVA no.142, Stockholm, pp. 128-143.

Hansen T.H. (1988):

Rock properties.

Norwegian Rock and Soil Assoc., Publ. no 5, 3 pp.

Helfrich H.K., Hasselström B. and Sjögren B. (1970):

Complex geoscience investigation programmes for siting and control of tunnel projects.

The Technology and Potential of Tunnelling, Vol. 1, N.G.W. Cook, editor; Johannesburg.

Helfrich H.K. (1971):

Mapping of the rock strength by refraction seismic measurements (in Swedish).

IVA Report 38, pp. 25-35.

Herget G. (1982):

Probabilistic slope design for open pit mines.

Rock Mechanics, Suppl. 12, 163-178, 1982.

Hodgson R.A. (1961):

Classification of structures on joint surfaces.

American J. of Science, Vol 259, 1961, pp 493 - 502.

Hoek E. (1965):

Rock fracture under static stress conditions.

Nat. Mech. Engg. Res. Inst. Report MEG 383, CSIR; S. Africa, 1965, 200 pp.

Hoek E. and Londe P. (1974):

General report, surface workings in rock.

Proc. Third Int. Congr. on Rock Mech., Denver.

Hoek E. and Brown E.T. (1980):

Underground excavations in rock.

Institution of Mining and Metallurgy, London 1980, 527 pp.

Hoek E.: (1981):

Geotechnical design of large openings at depth.

Rapid Exc. & Tunn. Conf. AIME 1981.

Hoek E. (1982):

Geotechnical considerations in tunnel design and contract preparation.

Trans. Inst. Min. Metall., London, Vol. 91, pp. A101-119.

Hoek, E. (1983):

Strength of jointed rock masses.

The Rankine Lecture 1983, Geotechnique 33, no 3 pp 187-223

Hoek E.(1986):

Practical rock mechanics - development over the past 25 years

Keynote address delivered 24.2.1986

Hoek E. and Brown E.T. (1988):

The Hoek-Brown failure criterion - a 1988 update.

Proc. 15th Canadian Rock Mechanics Symp. 1988, pp. 31-38.

Hoek E., Wood D. and Shah S. (1992):  
A modified Hoek-Brown failure criterion for jointed rock masses.  
Proc. Int. Conf. Eurock '92, Chester, England, pp. 209-214.

Hoek E. (1994):  
Strength of rock masses.  
News Journal of ISRM, Vol. 2, No. 2, pp. 4-16.

Hoek E. (1994):  
The challenge of input data for rock engineering.  
Letter to the editor. ISRM, News Journal, Vol. 2, No. 2, 2 pp.

Houghton D.A. (1976):  
The role of rock quality indices in the assessment of rock masses.  
Proc. of the Symp. on Exploration for rock engineering, Johannesburg, South Africa,  
pp. 129-135.

Hudson J.A., Priest S.D. (1979):  
Discontinuities and rock mass geometry.  
Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol 16, 1979, pp 339 - 362.

Hudson J.A. and Priest S.D. (1983):  
Discontinuity frequency in rock masses.  
Int. J. Rock Mec. Min. Sci. & Geomech. Abstr., Vol 20, No 2, pp. 73-89, 1983.

Hudson J.A. (1989):  
Rock mechanics principles in engineering practice.  
CIRIA Ground Engineering report, 72 pp.

Hustrulid W.A. (1971):  
A comparison of laboratory cutting results and actual tunnel boring performance.  
Mining Dept., Colorado School of Mines, Golden, Colorado.

Ikeda K. (1970):  
A classification of rock conditions for tunneling.  
Quarterly Reports, Vol. 11, No. 2, pp. 71-74.

Ilsley R.C., Costello M.J. (1983):  
Discontinuity characterization for underground openings in the Milwaukee water pollution abatement program.  
Underground Space, Vol 7, 1983, pp 214 - 220.

International Society for Rock Mechanics (ISRM), Commission on standardization of laboratory and field tests (1971):  
Suggested methods for determining the slaking, swelling, porosity, density and related rock index properties.  
Int. Soc. Rock Mech. secretary, Lisbon.

International Society for Rock Mechanics (ISRM), Commission on "Definition of the most promising lines of research" (1971):

Final report. Int. Soc. Rock Mech. secretary, Lisbon.

International Society for Rock Mechanics (ISRM), Commission on standardization of laboratory and field tests (1972):

Suggested methods for determining the uniaxial compressive strength of rock materials and the point load strength index.

Committee on laboratory tests. Int. Soc. Rock Mech., Lisbon.

International Society for Rock Mechanics (ISRM), Commission on Terminology, Symbols and Graphic Representation.(1975):

Terminology.

Int. Soc. Rock Mech. secretary, Lisbon.

International Society for Rock Mechanics (ISRM), Commission on standardization of laboratory and field tests (1978):

Suggested methods for the quantitative description of discontinuities in rock masses.

Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 15, No. 6, pp. 319-368.

International Society for Rock Mechanics (ISRM), Commission on classification of rocks and rock masses (1980):

Basic geotechnical description of rock masses.

Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 18, pp. 85-110.

International Society for Rock Mechanics (ISRM) working groups (1981):

Rock characterization, testing and monitoring.

Brown E.T., editor, Pergamon Press, New York, 211 pp.

International Society for Rock Mechanics (ISRM), Commision on Testing Methods (1981):

Suggested methods for determining the uniaxial compressive strength and deformability of rock materials.

Int. Soc. Rock Mech., secretary, Lisbon., 5 pp.

International Society for Rock Mechanics (ISRM), Commssion on swelling rock (1983):

Characterization of swelling rock.

Int. Soc. Rock Mech. secretary, Lisbon.

International Society for Rock Mechanics (ISRM), Commision on Testing Methods (1985):

Suggested method for determining point load strength.

Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 22, pp. 51-60.

International Society for Rock Mechanics, Commission on testing methods (1989):

Suggested method for large scale sampling and triaxial testing of jointed rock.

Int. J. Rock Mech. Min. Sci. & Geomech Abstr., Vol. 26, No. 5, pp. 427- 434.

International Society for Rock Mechanics (ISRM), Commission on failure mechanisms around underground excavations, First report (1989):

Observations, researches and recent results about failure mechanisms around single galleries.

Int. Soc. Rock Mech. secretary, Lisbon.

International Tunnelling Society (ITA) (1990):  
ITA Recommendations on contractual sharing of risks.  
Tunnels and Underground Space Technology, Vol. 5, No. 4, 1990

Isaksen V. and Solberg E. (1990):  
Fullface boring at Svartisen power plant (in Norwegian)  
Final dissertation work University of Trondheim, Norway

Jaeger J.C. (1969):  
Behavior of closely jointed rock.  
Proc. 11th Symp. Rock Mech., pp. 57 - 68.

Janelid I. (1965):  
Rock mechanics and its significance in mine and rock excavation design (in Swedish).  
Royal Academy of Engineering Sciences, Report 142, pp 7-12. 1965

Jennings J.E. and Robertson A. MacG. (1969):  
The stability of slopes cut into natural rock.  
Conf. on Soil Mechanics and Foundation Engineering, Mexico, Vol. II, pp. 585-590.

John K.W.: (1969):  
Civil engineering approach to evaluate strength and deformability of regularly jointed rock  
11th int. symp. on rock mech. pp. 69-80

John K.W. and Baudendistel M. (1981):  
A compromise approach to tunnel design.  
22nd US Symp. on Rock Mechanics, 1981, pp. 333-341.

Judd W.R. and Huber C. (1961):  
Correlation of rock properties by statistical methods.  
Inc. Symp. on Mining Research, Missouri, 1961, pp. 621-648.

Kaiser P.K., MacKay C. and Gale A.D. (1986):  
Evaluation of rock classifications at B. C. Rail Tumbler Ridge Tunnels.  
J. Rock Mech. and Rock Engn., Vol. 19, pp. 205-234.

Karmis M. (ed.) (1986):  
Application of rock characterization in mine design.  
SME Publication, Littleton Co.

Kikuchi K., Kobayashi T., Inoue M. and Izumiya Y. (1985):  
A study on the quantitative estimation of joint distribution and the modelling of jointed rock masses.  
Tokyo Electric Power Services Co., Engineering geological department, Civil operation center. 10 pp.

Kirkaldie L. (1988):  
Rock classification systems for engineering purposes.  
STP 984, Amer. Society for Testing Materials, 167 pp.

Kleeberger J. (1992):  
Private communication.

Knill J.L. (1969):

The application of seismic methods in the prediction of grout take in rock.

Proc. Int. Conf. In Situ Investigations in Soil and Rocks, pp. 63-70.

Koerner U. (1971):

Critical notes on rock classification in underground construction from a geological point of view.

Die Bautechnik, No. 9, pp. 318-319.

Krauland N., Söder P. and Agmalm G. (1989):

Determination of rock mass strength by rock mass classification - Some experiences and questions from Boliden mines.

Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 26, No 1, pp 115 - 123.

Krauland N. (1992):

Private communication.

Krumbein W.C. and Greybill F.H. (1965):

An introduction to statistical models in geology.

McGraw-Hill, Inc. New York, 475 pp.

Lama, R.D. and Vutukuri, V.S. (1978):

Handbook on mechanical properties of rocks. Trans Tech Publications, Clausthal, Germany, 1978, 1650 p.

Lane K.S. (1948):

Discussion on A.M. Casagrande: 'Classification and identification of soils'.

Trans. of Am. Soc. of Civil Engn., Vol. 113, pp. 950 - 951.

LaPointe P.R. (1988):

A method to characterize fracture density and connectivity through fractal geometry.

Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol 25, No. 6., pp. 421-429.

Lardelli T. (1992):

Private communication.

Lauffer H. (1958):

Classification for tunnel construction (in German)

Beologie und Bauwesen, Vol. 24, No. 1, pp 46-51.

Lauffer-Innsbruck H. (1988):

On rock classification regarding cutting. (in German)

Felsbau, Vol. 6, pp. 137-149.

Lindblom U.E. (1986):

Developments in design methods for large rock caverns.

General report, Proc. Symp. of Large Rock Caverns, Helsinki, 1986, pp 1937-1948.

Lislerud A. (1988):



Hard rock tunnel boring: Prognosis and costs.

Tunnelling and Underground Space Technology, Vol. 3, No. 1, pp. 9 - 17.

Louis C. and Perrot M. (1972):

Three dimensional investigation of flow conditions at Grand Maison Damsite.

Proc. Symp. on Percolation Through Fissured Rock, Stuttgart

Löset F. (1990):

Use of the Q-method for securing small weakness zones and temporary support.(in Norwegian)

Norwegian Geotechnical Institute, internal report No. 548140-1, 40 pp.

Löset F. (1992):

Support needs compared at the Svartisen road tunnel.

Tunnels & Tunnelling, June 1992, 3 pp.

Madan M.M. (1991):

An analytical approach to tunnel construction.

Tunnels & Tunnelling, May 1991, pp. 71-74.

Mahtab M.A., and Yegulalp T.M. (1986):

Characterizing jointed rock for tunnel design.

Proc. of Conf. on Large Underground Openings, Florence, Italy, pp. 613-619.

Martin D. (1988):

TBM tunnelling in poor and very poor rock conditions.

Tunnels and Tunnelling, March 1988, pp. 22-28.

Matula M. (1969):

Engineering geologic investigations of rock heterogeneity.

11th US Symp. on Rock Mech. pp 25-42.

Matula M. and Holzer R. (1978):

Engineering topology of rock masses.

Proc. of Felsmekanik Kolloquium , Grundlagen und Anwendung der Felsmekanik, Karlsruhe, Germany, 1978, pp. 107-121.

Maury V. (1976):

An example of underground storage in soft rock (chalk).

Proc. Int. Symp. Rock Store, pp. 681-689.

McFeat-Smith I., Nieuwenhuijs G.K. and Lai W.C. (1986):

Application of seismic surveying, orientated drilling and rock classification for site investigation of rock tunnels.

Proc. Int. Conf. Rock Engineering and Excavation in an Urban Environment, MIT., pp. 249-261.

Merritt A.H. and Baecher G.B. (1981):

Site characterization in rock engineering.

22nd U.S. Symp. on Rock Mechanics, pp. 49-66

Milne D., Germain P. and Potvin Y. (1992):

Measurement of rock mass properties for mine design.

Proc. Int. Conf. Eurock '92, Thomas Telford, London, pp.245-250.

Moreno Tallon E. (1980):  
Application of the geomechanical classification for the tunnels at Pajares. (in Spanish).  
Curso de Sostenimientos activos en Galerías y Túneles, Madrid, Fundación Gómez-Pardo.

Moreno Tallon, E. (1987):  
Rock-masses characterization for underground excavation purposes  
VI Australian Tunnelling Conference, Melbourne 1987.

Morfeltdt C.-O., Bergman M. and Lundström L. (1973):  
Rock mass investigations; evaluation of methods (in Swedish).  
Swedish Building Research, report R34:1973, 116 pp.

Morfeltdt C.-O. (1976):  
Caverns and tunnels in rock; engineering and geological follow-up (in Swedish).  
Swedish Building Research, report R15:1976, 106 pp.

Movinkel T. and Johannessen O. (1986):  
Geologic parameters for hard rock tunnel boring.  
Tunnels & Tunnelling, April 1986, pp. 45-48.

Muir Wood A.M. (1979):  
Ground behaviour and support for mining and tunnelling.  
Tunnels and Tunnelling, Part 1 in May 1979 pp. 43-48, and Part 2 in June 1979, pp. 47-51.

Müller L. (1963):  
Rock construction (in German).  
Ferdinand-Enke-Verlag, Stuttgart, 624 pp.

Müller L., Bock H. and Müller K. (1970):  
Structural geology of rocks - rock mechanics in construction (in German).  
Wilhelm Ernst & Sohn Verlag, Berlin

Müller L. (1978):  
Removing misconceptions on the new Austrian tunnelling method.  
Tunnels and Tunnelling, Oct. 1978, pp. 29-32.

Müller L. (1982):  
The influence of engineering geology and rock mechanics in tunnelling.  
Proc. of IV Congr. Intn. Ass. of Engn. Geol., New Delhi, 1982, pp. ix 177 - 186.

Mutschler T. and Natau O. (1991):  
Further developments for the determination of the stress-strain behaviour of jointed rock mass by large scale tests.  
Proc. 7th. Congr. of ISRM, Aachen, pp. 1557-1560.

Mutschler T. (1993):  
Private communication.

Nakano R. (1979):

Geotechnical properties of mudstone of Neogene Tertiary in Japan.  
Proc. Int. Symp. Soil Mechanics, Oaxaca, pp. 75 - 92.

Narr, W., Suppe, J. (1991):  
Joint spacing in sedimentary rocks.  
J. of Structural Geol., Vol 13, No. 9, pp 1037 - 1048.

Natau O.P., Frölich B.O. and Mutschler T. (1983):  
Recent developments of the large-scale triaxial test.  
Proc. 7th. Congr. of ISRM, Melbourne, pp. 1557-1560.

Natau O. (1990):  
Scale effects in determination of the deformability and strength of rock masses.  
Proc. Intn. Conf. on Scale Effects in Rock Masses, pp. 77 - 88.

Natau O., Bühler, Keller S. and Mutschler T. (1995):  
Large scale Triaxial testss in connection with a FEM analysis for the determination of the properties of a transversal isotropic rock mass.  
Proc. 8th Int. Congress on Rock Mechanics, Tokyo, 9 pp.

Nieto A.S. (1983):  
Some geologic factors in the location design and construction of large underground chambers in rock.  
Proc. Rapid Exc. & Tunn.Conf. AIME 1983, pp 569-596.

Nilsen B. and Thidemann A. (1993):  
Rock engineering.  
Hydropower Development, publ. no. 9, Norwegian Institute of Technology, Division of Hydraulic Engineering, 156 pp.

Nilsen B. and Ozdemir L. (1993):  
Hard rock tunnel boring prediction and field performance.  
Rapid Excavation and tunneling Conference, 20 pp.

Nord G., Olsson P. and By T.L. (1992):  
Probing ahead of TBMs by geophysical means.  
Tunnelling and Underground Space Technology, Vol. 7, No. 3, pp. 237-242.

Norsk Bergmekanikkgruppe (1985):  
Handbook in engineering geology - rock. (in Norwegian)  
Tapir, Trondheim, Norway, 140 pp.

Norwegian Institute of Technology (1994):  
Fullface boring of tunnels (in Norwegian).  
PR 1-94, Trondheim Norway, Norwegian Institute of Technology, 159 pp.

Nystuen, J.P., (1989):  
Naming geological units in Norway,  
Norsk Geologisk Tidsskrift, Vol. 69, Suppl.

Obermeier S.E. (1974):  
Evaluation of laboratory techniques for measurement of swell potential of clays.

Bull. Ass. of Engn. Geol., Vol XI, No. 4, pp. 293-314.

Olivier H.J. (1976)

Importance of rock durability in the engineering classification of Karoo rock masses for tunnelling.  
Proc. symp. on Exploration for Rock Engineering, Johannesburg 1976, pp 137 - 144.

Pacher F. (1975):

The development of the New Austrian Tunnelling Method and the main features in design work and construction.

16th Symp. on Rock Mechanics, Minneapolis, pp. 223-232.

Pacher F. (1978):

The conception of safety in special cases of rock construction. (in German)

Proc. Felsmechanik Kolloquium Karlsruhe 1978, Trans Tech Publ. pp. 27-44.

Palmström, A. (1974):

Characterization of the degree of jointing and the quality of rock masses (in Norwegian). Internal report Ing. A.B. Berdal, Høvik, Norway, 26 pp.

Palmström, A. (1982):

The volumetric joint count - a useful and simple measure of the degree of jointing.

Proc. IV Int. Congr. IAEG, New Delhi, 1982, pp V.221-V.228.

Palmström A. (1984):

Geo-investigation and advanced tunnel excavation technique important for the Vardö subsea road tunnel.

Proc. Int. Symp. Low Cost Road Tunnels, Oslo, Norway, 1985, 16 pp.

Palmström A. (1985):

Application of the volumetric joint count as a measure of rock mass jointing.

Proc. Int. Symp. Fundamentals of Rock Joints, Björkliden, Sweden, 1985, pp 103-110.

Palmström A. (1986):

The volumetric joint count as a measure of rock mass jointing.

Presented at the Conference on Fracture, Fragmentation and Flow, Jerusalem 1986, 19 pp.

Palmström A. (1986):

A general, practical method for identification of rock masses to be applied in evaluation of rock mass stability conditions and TBM boring progress. (in Norwegian)

Proc. Conf. on Fjellsprengningsteknikk, Bergmekanikk, Geoteknikk, Oslo Norway, pp. 31.1-31.31.

Palmström A. and Berthelsen O. (1988):

The significance of weakness zones in rock tunnelling.

Proc. Int. Conf. Rock Mechanics and Power Plants, Madrid 1988, 8 pp.

Papadopoulos Z. and Marinos P. (1992):

On the anisotropy of the Athenian schist and its relation to weathering.

Bull. Int. Ass. Engn. Geol., No. 45, pp. 111 - 116.

Patching T.H. and Coates D.F. (1968):

A recommended rock classification for rock mechanics purposes.  
CIM Bull., Oct. 1968, pp 1195-1197.

Patton F.D. (1966):

Multiple modes of shear failure in rock.  
Proc. 1st Congr. ISRM, Lisbon, 1966, I: pp. 509-513.

Patton F.D., Deere D.U. (1970a):

Significant geologic factors in slope stability.  
Proc. Symp. Planning Open Pit Mines, Johannesburg, pp 143-151.

Pearson J.R.A. (1988):

Key questions in rock mechanics.  
Proc. 29th U.S. Rock Mechs. Symp., Minneapolis, pp. 7-15.

Peck R.B. (1980):

Where has all the judgement gone?  
Laurits Bjerrum memorial lesson no 5, Norwegian Geotechnical Institute, Oslo, Norway

Peters C.M.F. (1972):

A structural interpretation of the Garlock fault at the Tehachapi crossing.  
Proc. Rapid Excav. & Tunn. Conf., AIME., pp. 133-155.

Piteau D.R. (1970):

Geological factors significant to the stability of slopes cut in rock.  
Proc. Symp. on Planning Open Pit Mines, Johannesburg, South Africa, 1970, pp. 33-53.

Piteau D.R. (1973):

Characterizing and extrapolating rock joint properties in engineering practice.  
Rock Mechanics, Suppl. 2, pp. 5-31.

Poisel R. (1990):

The dualism-continuum of jointed rock.  
Proc. Mech. of Jointed and Faulted Rock, 1990, Balkema publ. pp 41-50.

Pollard, D. D., Aydin, A. (1988):

Progress in understanding jointing over the past century.  
Bull. Geol. Society of America, Vol 100, pp 1181 - 1204.

Price N.J. (1969):

Laws of rock behavior in the earth's crust.  
11th Symp. on Rock Mech. Berkley, pp. 3-23.

Price N.J. (1981):

Fault and joint development in brittle and semi-brittle rock.  
Pergamon Press, 1981, 176 pp.

Proctor R.J. (1971):

Mapping geological conditions in tunnels

Bull. Ass.Engn.Geol., Vol VIII, No. 1, PP. 1-31.

Pusch R. and Morfeldt C.-O. (1993):

Characterization of rock masses for construction of underground openings from numeric calculation of stresses, deformations and ground water flow. (in Swedish)

Väg och vattenbyggaren, no. 4/93, pp. 13 - 18.

Rabcewicz L.v. (1964/65):

The new Austrian tunnelling method.

Water Power, part 1 November 1964 pp. 511-515, Part 2 January 1965 pp. 19-24.

Rabcewicz L.v. (1975):

Tunnel under Alps uses new, cost-saving lining method.

Civil Engineering-ASCE, October 1975, pp.66-68.

Rabcewicz L.v. and Golser J. (1973):

Principles dimensioning the support system for the new Austrian tunnelling method.

Water Power, March 1973, pp. 88-93

Ramamurthy T., Venkatappa Rao G. and Singh J. (1993):

Engineering behaviour of phyllites.

Engineering Geology, 33, pp. 209 - 225.

Robbins R.J. (1980):

Present trends and future directions in tunnelling.

The Yugoslav Symp. on Rock Mechanics and Underground Actions, 11 pp.

Robertson A.MacG. (1970):

The interpretation of geological factors for use in slope theory.

Proc.Symp. Planninmh Open Pit Mines, Johannesburg, South Africa, 1970. pp. 55-71.

Robinson C.S. (1972):

Prediction of geology for tunnel design and construction.

Rapid Tunneling and Excavation Conf., pp 105-114.

Rokoengen K. (1973):

Classification of clay zones in rock. (in Norwegian)

Report no. 11, The Technical University in Norway, Trondheim, 46 pp.

(Extract from dr. thesis on 'Swelling properties of clay zones in rock')

Rostami J. (1992):

Design optimization, performance prediction and economic analysis of tunnel boring machines for the construction of the proposed Yucca Mountain nuclear waste repository.

Dr. thesis, Colorado School of mines, 195 pp.

Ruiz M.D. (1966):

Some technological characteristics of twenty-six Brazilian rock types.

Proc. 1st Congr. Intn. Rock Mech., Lisbon, Vol. 1, pp. 115 - 119.

Russenenes B.F. (1974):

Analysis of rock spalling for tunnels in steep valley sides (in Norwegian).

M.Sc. thesis, Norwegian Institute of Technology, Dept. of Geology, 247 pp.

Rutledge J.C. and Preston R.L. (1978):

New Zealand experience with engineering classifications of rock for the prediction of rock support.  
Proc. Int. Tunnelling Symposium, Tokyo, 1978, pp. A3 1-7.

Sadagah B.H., Sen Z. and Freitas M.H.D. (1990):

A mathematical representation of jointed rock masses and its application.  
Proc. of Symp. on Mechanics of Jointed and Faulted Rock, 1990, pp. 65-70.

Salustowicz A. (1965):

Zarys mechaniki gorotworu Katowice.  
Wydawnictwo "Slask".

Schneider H.J. (1976):

The friction and deformation behaviour of rock joints.  
Rock Mechanics No. 8, pp 169-184.

Scholz C.H. (1990):

The mechanics of earthquakes and faulting.  
Cambridge University Press, Cambridge, USA, 438 pp.

Seeber G., Keller S., Enzenberg A., Tagwerker J., Schletter R., Schreyer F. and Coleselli A. (1978):

Methods of measurements for rock support and installations in road tunnels using the new Austrian tunnelling method. (in German)  
Bundesministerium f. Bauten u. Technik, Strassenforschung Heft 133, 200 pp.

Selmer-Olsen R. (1950):

On faulting and crushed zones in the Bamble formation. (In Norwegian).  
Norsk geologisk tidsskrift, No 25, 1950, pp. 171-191.

Selmer-Olsen R. (1964):

Geology and engineering geology. (in Norwegian)  
Tapir, Trondheim, Norway, 409 pp.

Selmer-Olsen R. (1971):

Engineering geology. Part 1. (in Norwegian)  
Tapir, Trondheim, Norway, 230 pp.

Selmer-Olsen R. (1988):

General engineering design procedures.  
Norwegian Tunnelling Today, Tapir 1988, pp. 53-58

Selmer-Olsen R. and Palmström A. (1989):

Tunnel collapses in swelling clay zones, part 1.  
Tunnels & Tunnelling, November 1989, pp.

Selmer-Olsen R. and Palmström A. (1990):

Tunnel collapses in swelling clay zones, part 2.  
Tunnels & Tunnelling, January 1990, pp.

- Sen Z., Eissa E.A. (1991):  
Volumetric rock quality designation  
J Geotech. Engrn., Vol 117, No 9, 1991, pp 1331 - 1346.
- Sen Z. and Eissa E.A. (1992):  
Rock quality charts for log-normally distributed block sizes.  
Int. J. Rock Mech. Min. Sci. & Geomech. Abstr., Vol. 29, No. 1, pp. 1-12.
- Serafim J.L. and Pereira J.P. (1983):  
Consideration of the geomechanics classification of Bieniawski.  
Proc. Int. Symp. on Engineering Geology and Underground constructions, pp. 1133 - 1144.
- Seshagiri Rao K., Venkatappa Rao G. and Ramamurthu T. (1987):  
Discussion of paper by K.L. Gunsallus and F.H. Kulhawy, "A comparative evaluation of rock strength measures".  
Int. J. Rock Mech. Min. Sci. & Geomech. Abstr. Vol. 24, No. 3, pp. 193-196.
- Singh J., Ramamurthy T. and Venkatappa Rao G. (1989):  
Strength anisotropies in rocks.  
Ind. Geotech. J., 19(2), pp. 147-166.
- SINTEF (1990):  
Deformation and rock stress measurements at Svartisen power plant, Efjord and Stetind road tunnels  
(in Norwegian).  
SINTEF Report no. STF36 F90059
- SINTEF (1993):  
Fullface boring Dalåa - Torsbjørka (in Norwegian)  
Final report made for Merkraft A/S (courtesy Merkraft A/S)
- Sjögren B., Övsthus A. and Sandberg J. (1979):  
Seismic classification of rock mass qualities.  
Geophysical Prospecting, Vol. 27, No. 2, pp. 409-442.
- Sjögren B. (1984):  
Shallow refraction seismics.  
Chapman and Hall, London, 270 pp.
- Sjögren B. (1993):  
Private communication.
- Snow D. (1966):  
Disc'n.  
Theme III, Int. Congr. Rock Mech., Lisbon.
- Snow D. (1968):  
Fracture deformation and changes of permeability and storage upon changes of fluid pressure.  
Quarterly Colorador School of Mines, 63, pp. 201-244



Spaun G. (1974):

Zur Frage der Sohlhebungen in Tunneln des Gipskeupers.

In: Festschrift Leopold Müller-Salzburg zum 65. Geburtstag, pp. 245-260.

Stang T. and Aadal T. (1991):

Fullface boring at Svartisen power plant (in Norwegian)

Final dissertation work University of Trondheim, Norway

Stephenson D.E. and Triandafilidis G.E. (1974):

Influence of specimen size and geometry on uniaxial compressive strength of rock.

Bull. Ass. of Engn. Geol., Vol Xi, No. 1, 1974, pp. 29-47.

Stimpson B.:(1982)

A rapid field method for recording joint roughness profiles. Technical note.

Int. J. Rock Mech. Min. Sci & Geomech. Abstr., Vol 19 pp 345-346, 1982

Stini I. (1950):

Geology in tunnel construction (in German).

Springer publishers, Vienna, 366 pp.

Swan G. (1981):

Tribology and the characterization of rock joints.

Proc. 22nd US Symp.on Rock Mechanics, MIT. 1981, pp. 432-437.

Söder P.-E. and Krauland N. (1990):

Determination of pillar strength by full scale pillar tests in the Laisvall mine.

Proc. 11th World Mining Congr. on Strata Control in Deep Mines, pp. 39 - 59.

Terzaghi K. (1946):

Introduction to tunnel geology.

In Rock tunnelling with steel supports, by Proctor and White, pp 5 - 153.

Terzaghi K. (1953):

Address.

Proc. Int. Conf. on Soil Mech. and Foundation Engn., Vol. 3, p. 76.

Terzaghi R. (1965):

Sources of error in joint surveys.

Geotechnique, Vol 15, 1965, pp 287-304.

Thorgrímsson S., Loftsson M. and Jensson O. (1991):

Iceland's Blanda hydroelectrical project: Monitoring of deformations, rock support and testing of rock anchors in the powerhouse cavern.

Tunnelling. and Underground Space Technology, Vol. 6, No. 2, pp.235-239.

Thorpe R., Watkins D.J., Ralph W.E., Hsu R. and Flexser S. (1980):

Strength and permeability tests on ultra-large Stripa granite core.

Technical Information Report No.31, Lawrence Berkeley Laboratory, University of California, 200 pp.

Tirén S.A. and Beckholmen M. (1992):

Rock block map analysis of southern Sweden.

Geologiska Föreningens i Stockholm Förhandlingar, Vol. 114, Pt. 3, pp 253 - 269.

Tourtlot H.A. (1974):

Geologic origin and distribution of swelling clays.

Bull. Ass. of Engn. Geol., Vol XI, No. 4, 1974, pp. 259-275.

Tsidzi K.E.N. (1986):

A quantitative petrofabric characterization of metamorphic rocks.

Bull. Int.Assoc. Engng. Geol. no 33, pp. 3 - 12.

Tsidzi K.E.N. (1987):

Foliation index determination for fine-grained metamorphic rocks.

Bull. Int.Assoc. Engng. Geol. no 36, pp. 27 - 33.

Tsidzi K.E.N. (1987):

Compressive strength anisotropy of foliated rocks.

Proc. symp. on Mechanics of Jointed and Faulted Rock; Balkema, Rotterdam, pp. 421 - 428.

Tsoutrelis C.E., Exadactylos G.E. and Kapenis A.P. (1990):

Study of the rock mass discontinuity system using photoanalysis.

Proc. of Symp. on Mechanics of Jointed and Faulted Rock, 1990, pp. 103-112.

Turk N., Dearman W.R. (1985):

Investigation of some rock joint properties: Roughness angle determination and joint closure.

Proc. of Int. Symp. on Fundamentals of Rock Joints, Björkliden Sweden 1985, pp 197 -204.

Unal E. (1983):

Design guidelines and roof control standards for coal mine roofs.

Ph.D. Thesis, The Pennsylvania State University, 1983.

Wagner H. (1987):

Design and support of underground excavations in highly stressed rock.

Proc. of 6th ISRM Congr., Montreal; Keynote paper Vol. 3.

Wahlstrom, E.E. (1973):

Tunnelling in rock.

Amsterdam Elsevier, 250 p.

Wallis P.F., King M.S. (1980):

Discontinuity spacings in a crystalline rock.

Technical note, Int. J. Rock Mech. Min. Sci & Geomech Abstr., Vol 17, 1980, pp 63 - 66.

Ward W.H. (1978):

Ground supports for tunnels in weak rocks.

The Rankine Lecture. Geotechnique 28, No. 2, pp. 133-171.

Watkins M.D. (1971):

Terminology for describing the spacing of discontinuities of rock masses.  
Q.J. Engn. Geol., Vol 3, 1971, pp 193 - 195.

Wickham G.E., Tiedeman H.R. and Skinner E.H. (1972):  
Support determination based on geologic predictions.  
Proc. Rapid Exc. & Tunn. Conf., 1972, PP. 43-64.

Williamson D.A. (1980):  
Uniform rock classification for geotechnical engineering purposes.  
Transportation Research Record 783, National Academy of Sciences, Washington D.C,  
pp. 9-14

Williamson D.A. and Kuhn C.R (1988):  
The unified classification system.  
Rock Engineering Systems for Engineering Purposes, ASTM STP 984, American Society for  
Testing Materials, Philadelphia, pp. 7 - 16.

Wittke N. and Louis C. (1969):  
Several quick tests for determining the mechanical character of rocks.  
Geotechnical Colloq., Toulouse, France

Wood D. (1991):  
Estimating Hoek-Brown rock mass strength parameters from rock mass classifications.  
Transportation Research Record 1330, pp. 22-29.

Xuecheng D. (1993):  
Rock mechanics investigations related to the three gorges dam project.  
News Journal of International Society for Rock Mechanics, Vol. 1, No. 4, pp. 6-15.